



PRICE LIST, August 2011

www.qscaudio.com

Acoustic Design Loudspeakers		EU RRP w/o VAT	LV RRP w VAT
AD-C42T-WH	Ceiling speaker, 4" weather-resistant, 2 way, with 70V/100V transformer and 8 Ω bypass (Loudspeakers are priced individually, sold only in pairs)	€ 105.63	Ls 91.01
AD-CI52ST-WH	Ceiling speaker, 5.25" weather-resistant, 2-way, shallow can, with 70V/100V transformer and 8 Ω bypass (Loudspeakers are priced individually, sold only in pairs)	€ 156.42	Ls 134.78
AD-CI52T-WH	Ceiling speaker, 5.25" weather-resistant, compact 2-way, with 70V/100V transformer and 8 Ω bypass (Loudspeakers are priced individually, sold only in pairs)	€ 141.48	Ls 121.91
AD-C81Tw-WH	Ceiling subwoofer, 8" weather-resistant, 120Hz bypassable low pass filter, with 70V/100V transformer and 8	€ 232.32	Ls 200.17
AD-C820R SYSTEM	Includes AD-C820 2-way, 8 inch high-power coenrtrant loudspeaker baffle assembly, AD-C800BB back-box assembly and AD-C800RG round grille. Back box and grille packaged seperately (total of three cartons).	€ 453.88	Ls 391.08
AD-C820S SYSTEM	Includes AD-C820 2-way, 8 inch high-power coenrtrant loudspeaker baffle assembly, AD-C800BB back-box assembly and AD-C800SG round grille. Back box and grille packaged seperately (total of three cartons).	€ 453.88	Ls 391.08
AD-C821R SYSTEM	Blind mount, high power 8 inch coenrtrant loudspeaker system with integrated, factory sealed backcan. System includes AD-C800RG round grille, C-Ring and Tire Rails. Grille and C-Ring and Tire Rails packaged seperately (total of three	€ 482.71	Ls 415.92
AD-C821S SYSTEM	Blind mount, high power 8 inch coenrtrant loudspeaker system with Integrated, factory sealed backcan. System includes AD-C800RG square grille, C-Ring and Tire Rails. Grille and C-Ring and Tire Rails packaged seperately (total of three	€ 482.71	Ls 415.92
AD-C1200	High-power coenrtrant 2-way with 12 inch woofer, mounted on acoustic baffle. Fits AD-C1200BB back box enclosure or standard ~2.75 cubic inch enclosures.	€ 495.71	Ls 427.12
AD-C1200BB	High performance enclosure of AD-C1200 loudspeaker system.	€ 286.40	Ls 246.77
AD-C1200SG	Steel grille for use with AD-C1200 in white (paintable).	€ 50.95	Ls 43.90
AD-S282H-BK AD-S282H-WH	Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version, ships with yoke mount, available in black or white	€ 630.91	Ls 543.62
AD-S282HT-BK AD-S282HT-WH	Surface mount speaker, dual 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version, with 70V/100V transformer and 8 Ω bypass, ships with yoke mount, available in black or white	€ 665.87	Ls 573.74
AD-S32T-BK AD-S32T-WH	Surface mount speaker, 3" weather-resistant, 2-way, shielded, 90°H x 90°V, with 70V/100V transformer and 8 Ω bypass, ships with ball-mount assembly and yoke mount, available in black or white (Loudspeakers are priced inividually, sold only in pairs)	€ 105.63	Ls 91.01
AD-S52-BK AD-S52-WH	Surface mount speaker, 5.25" weather-resistant, 2-way, shielded, 90°H x 60°V, ships with ball-mount assembly, or choose the AD-YM5 mounting bracket below, available in black or white (Loudspeakers are priced individually, sold only in pairs)	€ 147.46	Ls 127.06
AD-S52T-BK AD-S52T-WH	Surface mount speaker, 5.25" weather-resistant, 2-way, shielded, 90°H x 60°V, with 70V/100V transformer with 8 Ω tap, ships with ball-mount assembly available in black or white (Loudspeakers are priced individually, sold only in pairs)	€ 169.87	Ls 146.36
AD-S82-BK AD-S82-WH	Surface mount speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable. Choose from the mounting options listed below, available in black or white	€ 183.31	Ls 157.95
AD-S82H-BK AD-S82H-WH	Surface mount speaker, 8" weather-resistant, 2-way, 90° x 60° rotatable, high power version. Choose from the mounting options listed below, available in black or white	€ 294.17	Ls 253.47
AD-S28TwBK	Surface mount subwoofer, dual 8" bandpass, 120Hz bypassable low-pass filter, with 70V/100V transformer and 8 ohm, marine grade plywood, yoke and suspension hardware included.	€ 521.85	Ls 449.65
AD-ID8-BK AD-ID8-WH	IntelliDock mounting system for AD-S82, available in black or white	€ 82.62	Ls 71.19
AD-ID8T-BK AD-ID8T-WH	IntelliDock mounting system for AD-S82 with 70V/100V transformer, available in black or white	€ 105.18	Ls 90.63
AD-YM5-BK AD-YM5-WH	Yoke mount for AD-S52 models, available in black or white (Bracket priced individually, sold only in pairs)	€ 16.28	Ls 14.03
AD-YM8-BK AD-YM8-WH	Yoke mount for AD-S82 models, available in black or white	€ 37.50	Ls 32.31
AD-YM8T-BK AD-YM8T-WH	Yoke mount with transformer for AD-S82 models, available in black or white	€ 60.06	Ls 51.75



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
ADC-MR	Mud ring bracket for installation of AD-CI52T in sheetrock or plaster surfaces (Priced and packaged in quantities of six (6) pieces per box)	€ 118.32	Ls 101.95
ADC-MRS	Mud ring bracket (shallow version) for installation of AD-CI52ST in sheetrock or plaster surfaces (Priced and packaged in quantities of six (6) pieces per box)	€ 160.46	Ls 138.25
ADC-MR4	Mud ring for installation of AD-C42T in sheetrock or plaster surfaces. (P)riced and packaged in quantities of six (6) pieces per box)	€ 95.62	Ls 82.39
ADC-NC	New construction bracket for installation of AD-CI52T in sheetrock or other solid surfaces (Priced and packaged in quantities of six (6) pieces per box)	€ 84.41	Ls 72.73
ADC-NCS	New construction bracket (shallow version) for installation of AD-CI52ST in sheetrock or other solid surfaces (Priced and packaged in quantities of six (6) pieces per box)	€ 118.32	Ls 101.95
ADC-NC4	New construction bracket for installation of AD-C42T in sheetrock or other solid surfaces. (Priced and packaged in quantities of six (6) pieces per box)	€ 97.11	Ls 83.67
KLA Series Loudspeakers			
NEW KLA12-BK	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90° x 18° nominal coverage angle; self contained rigging system, available in black or white.	€ 2 094.58	Ls 1 804.78
NEW KLA181-BK	18" ported, 1000W subwoofer with integrated flying hardware; available in black and white	€ 1 771.88	Ls 1 526.72
NEW KLAAF12-BK	Aluminum array frame for KLA Series enclosures: available in black and white	€ 744.01	Ls 641.07
KW Series Loudspeakers			
KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor	€ 1 008.45	Ls 868.92
KW152	15" two-way 1000W, 60° axisymmetric, active loudspeaker	€ 1 104.06	Ls 951.31
KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange	€ 1 180.26	Ls 1 016.96
KW181	18" ported, 1000W subwoofer with integrated casters	€ 1 256.45	Ls 1 082.61
KW SUS KIT 122	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of the KW122	€ 62.75	Ls 54.07
KW M10 KIT	M10 forged-shoulder, steel eyebolt kit for suspending KW122 (vertically), KW152, KW153	€ 37.35	Ls 32.18
KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122	€ 68.72	Ls 59.22
KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152	€ 76.19	Ls 65.65
KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153	€ 88.15	Ls 75.95
KW181 COVER	Soft cover made with heavy-duty Nylon/Cordura® material for KW181 with grille guard	€ 101.59	Ls 87.54
K Series Loudspeakers			
K8	1000W active, portable loudspeaker system; 8-inch woofer; 1.75-inch compression driver; 105 degree conical waveguide; Tilt-Direct™ dual angle pole	€ 647.50	Ls 557.91
K10	1000W active, portable loudspeaker system; 10-inch woofer; 1.75-inch compression driver; 90 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP, for use as main or stage monitor speaker.	€ 691.87	Ls 596.14
K12	1000W active portable loudspeaker system; 12-inch woofer; 1.75-inch compression driver; 75 degree conical waveguide; Tilt-Direct™ dual angle pole socket; DSP; for use as main or stage monitor speaker.	€ 783.45	Ls 675.05
KSUB	1000W active, portable subwoofer; dual 12-inch woofers; 4 large, swivel casters; M20 threaded pole socket; speaker pole included.	€ 1 045.05	Ls 900.46
K SERIES M10 KIT	M10 forged-shoulder steel eyebolt kit for suspending K8, K10, or K12.	€ 37.35	Ls 32.18
K8 YOKE	Powder coated steel yoke for mounting the K8 vertically or Horizontally to structures.	€ 105.92	Ls 91.27
K10 YOKE	Powder coated steel yoke for mounting the K10 vertically or Horizontally to structures.	€ 113.84	Ls 98.09
K12 YOKE	Powder coated steel yoke for mounting the K12 vertically or Horizontally to structures.	€ 121.61	Ls 104.79
K SERIES POLE EXT	16 inch extension pole for use with K Series speaker pole and K8 or K10 loudspeaker. Not intended for any other K Series or KW Series loudspeaker.	€ 13.89	Ls 11.97
K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K8	€ 65.44	Ls 56.38
K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K10	€ 71.86	Ls 61.92



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K12	€ 78.43	Ls 67.58
KSUB COVER	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Ksub with grille guard	€ 91.58	Ls 78.91
NEW K8 COVER	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installation or sustained severe weather conditions.	€ 30.78	Ls 26.52
NEW K10 COVER	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installation or sustained severe weather conditions.	€ 41.53	Ls 35.79
NEW K12 COVER	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installation or sustained severe weather conditions.	€ 52.29	Ls 45.06
ILA Series Loudspeakers			
WL2082-i-BK WL2082-i-WH	Installation line array - dual neodymium 8" cone LF, dual titanium diaphragm, neodymium magnet compression driver HF, selectable bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware, available in black or white	€ 1 535.98	Ls 1 323.46
WL118-sw-BK WL118-sw-WH	18" subwoofer - for use with WL2082-i installation line array, may be ground-stacked or suspended with WL2082-i, integral array hardware, available in black or white; 15-20 day lead time required for white version	€ 2 197.37	Ls 1 893.34
FB2082-i-BK FB2082-i-WH	Fly-bar for WL2082-i and WL115-sw, available in black or white	€ 740.28	Ls 637.85
EB2082-i-BK EB2082-i-WH	Extension bar, allows WL115-sw to be suspended behind WL2082-i, available in black or white	€ 740.28	Ls 637.85
PB2082-i-BK PB2082-i-WH	Pullback bar for WL2082-i. For use when pulling back the bottom of the array is necessary to achieve the desired angle, available in black or white	€ 263.09	Ls 226.69
QRP-KIT-1	Kit of four (4) quick release pins for use in lieu of included bolts	€ 75.45	Ls 65.01
AB2082	Angle bracket that allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations	€ 135.06	Ls 116.37
GS115-sw	Ground stack adapter that allows for construction of ground stacked ILA arrays	€ 205.28	Ls 176.87
ISIS Series Loudspeakers			
I-82H	Surface mount, portable speaker, 8" weather-resistant, 2-way, 90°x 60° rotatable, Speakon® connectors, ships with pole mount cup and mic stand adapter	€ 294.17	Ls 253.47
I-282H	Surface mount speaker, dual 8" weather-resistant, 2-way, 90°x 60° rotatable, Speakon® connectors, ships with pole mount cup and yoke mount with monitor	€ 630.91	Ls 543.62
I-YM8	Yoke mount/floor monitor kit for I-82H, with swivel extension feet for floor	€ 63.79	Ls 54.97
WIDELINE-10 Series			
WL2102-w-BK WL2102-w-WH	Wide angle, line array speaker, dual 10" drivers, 140°x 10°, plywood enclosure, available in black and white	€ 3 600.98	Ls 3 102.75
WL218-sw-BK WL218-sw-WH	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, available in black and white	€ 4 311.97	Ls 3 715.37
GP218-sw	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in black and white	€ 2 981.42	Ls 2 568.91
WL SMALLGRID-BK WL SMALLGRID-WH	Steel grid used for stacking four (4) or flying eight (8) WL2102 and WL2102-w, available in black or white	€ 1 234.64	Ls 1 063.81
WL LARGE GRID-BK WL LARGE GRID-WH	Steel grid used for stacking twelve (12) or flying twenty-four (24) WL2102 and WL2102-w, available in black or white	€ 1 646.24	Ls 1 418.46
WL-8-PACK RACK	WideLine 2102 Eight pack rack: transport/storage rack, holds 8 units	€ 2 452.25	Ls 2 112.95
WL-CASE	ISIS WideLine transport/storage case, holds 3 speakers	€ 1 749.92	Ls 1 507.80
CVR-218	Padded transport cover for WL218-sw dual 18" subwoofer. Constructed of 1000 denier cordura nylon with heavy padding. Cutouts allow access to all handles, belly straps secure cover to enclosure when attached to transport dolly	€ 172.86	Ls 148.94
CVR-GP218	Soft Cover for a single GP218 Sub-woofer.	€ 176.59	Ls 152.16



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
AF218-sw	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	€ 2 461.21	Ls 2 120.68
CP-218-0	Wood Caster Pallet for transport of GP-218-sw Subwoofer	€ 455.97	Ls 392.88
CP-218-1	Wood Caster Pallet & Padded soft cover for transport of GP-218-sw subwoofer	€ 653.62	Ls 563.19
CVR-GP218	Padded transport cover for a single GP-218 dual 18" subwoofer.	€ 172.86	Ls 148.94
WIDELINE-8 Series			
WL3082-BK WL3082-WH	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in black or white	€ 2 600.15	Ls 2 240.40
WL212-sw-BK WL212-sw-WH	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in black or white	€ 2 468.53	Ls 2 126.99
GP212-BK GP212-WH	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; available in black or white	€ 1 671.18	Ls 1 439.96
WL3082-wx	Weatherized ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, fiber glass coated plywood enclosure, M10 suspension points, gray. Special order item - allow 90 days plus shipping for delivery.	€ 3 610.09	Ls 3 110.60
WL2102-wx	Weatherized, wide angle, line array speaker, dual 10" drivers, 140° x 10°, fiberglass coated plywood enclosure, M10 suspension points, gray. Special order item - allow 90 days plus shipping for delivery.	€ 4 551.76	Ls 3 921.98
GP218-wx	Weatherized, dual 18" subwoofer; rectangular enclosure; gray. Special order item - allow 90 days plus shipping for delivery.	€ 3 923.98	Ls 3 381.06
AF3082-wx	Array frame for use with WL3082-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery	€ 1 235.98	Ls 1 064.97
AF2102-wx	Array frame for use with WL2102-wx; accommodates arrays of up to ? (?) WL3082-wx; available in medium grey. Special order item - allow 90 days plus shipping for delivery.	€ 1 412.57	Ls 1 217.13
CP212-2	Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw	€ 649.74	Ls 559.84
CP212-3	Castor Pallet & Padded cover for transporting 3 x WL212sw or 2 GP212sw	€ 685.89	Ls 590.99
CVR212-2	Padded vinyl cover only for 2 X WL212sw or 2 GP212sw	€ 144.47	Ls 124.48
CVR212-3	Padded vinyl cover only for 3 X WL212sw or 2 GP212sw	€ 180.47	Ls 155.50
CP3082-4	Caster pallet for transport of 4 WL3082; includes padded nylon cover	€ 535.00	Ls 460.98
AF8-10	Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures	€ 1 234.64	Ls 1 063.81
AF3082-S-BK AF3082-S-WH	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available in black or white	€ 986.93	Ls 850.38
AF3082-L-BK AF3082-L-WH	Large array frame for use with WL3082 and WL212-sw; accomodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white	€ 1 749.02	Ls 1 507.03
PB3082-BK PB3082-WH	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white	€ 535.00	Ls 460.98
EB3082-BK EB3082-WH	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white	€ 946.60	Ls 815.63
Concert Stage Monitors			
CSM10	Low profile, high performance 10" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€ 2 825.30	Ls 2 434.39
CSM12	Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€ 2 982.17	Ls 2 569.55
CSM15	Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	€ 3 139.19	Ls 2 704.85



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
CX Amplifiers			
CX302	2 channels, 200 watts/ch at 8Ω, 325 watts/ch at 4Ω, 600 watts/ch at 2Ω	€ 792.86	Ls 698.12
CX502	2 channels, 300 watts/ch at 8Ω, 500 watts/ch at 4Ω, 800 watts/ch at 2Ω	€ 981.85	Ls 864.53
CX702	2 channels, 425 watts/ch at 8Ω, 700 watts/ch at 4Ω, 1200 watts/ch at 2Ω	€ 1 217.46	Ls 1 071.98
CX902	2 channels, 550 watts/ch at 8Ω, 900 watts/ch at 4Ω, 1500 watts/ch at 2Ω	€ 1 453.06	Ls 1 279.43
CX1102	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1700 watts/ch at 2Ω	€ 1 610.23	Ls 1 417.82
CX302V	2 channels, 250 watts/ch at 70V	€ 792.86	Ls 698.12
CX602V	2 channels, 550 watts/ch at 8Ω, 440 watts/ch at 70V	€ 1 217.46	Ls 1 071.98
CX1202V	2 channels, 700 watts/ch at 8Ω, 1100 watts/ch at 4Ω, 1000 watts/ch at 70V	€ 1 453.06	Ls 1 279.43
CX254	4 channels, 170 watts/ch at 8Ω, 250 watts/ch at 4Ω, 450 watts/ch at 2Ω	€ 1 100.33	Ls 968.85
CX404	4 channels, 250 watts/ch at 8Ω, 400 watts/ch at 4Ω	€ 1 100.33	Ls 968.85
CX204V	4 channels, 200 watts/ch at 70V	€ 1 100.33	Ls 968.85
CX168	8 channels, 90 watts/ch at 8Ω, 130 watts/ch at 4Ω	€ 1 453.06	Ls 1 279.43
CX108V	8 channels, 100 watts/ch at 70V	€ 1 453.06	Ls 1 279.43
GX Amplifiers			
GX3	2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω	€ 288.22	Ls 248.34
GX5	2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω	€ 369.87	Ls 318.69
GX7	Lightweight, 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω.	€ 570.71	Ls 491.74
ISA Amplifiers			
ISA280	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω	€ 447.75	Ls 385.80
ISA450	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω	€ 533.66	Ls 459.82
ISA750	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω	€ 729.97	Ls 628.97
ISA1350	2 channels, 800 watts/ch at 8Ω, 1300 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 1500 watts/ch at 70V (direct output)	€ 1 379.41	Ls 1 188.55
ISA300Ti	2 channels, 185 watts/ch at 8Ω, 280 watts/ch at 4Ω, 430 watts/ch at 2Ω, 300 watts/ch at 70V	€ 582.66	Ls 502.04
ISA500Ti	2 channels, 260 watts/ch at 8Ω, 425 watts/ch at 4Ω, 700 watts/ch at 2Ω, 500 watts/ch at 70V	€ 699.19	Ls 602.45
ISA800Ti	2 channels, 450 watts/ch at 8Ω, 650 watts/ch at 4Ω, 1200 watts/ch at 2Ω, 800 watts/ch at 70V	€ 938.38	Ls 808.55
PLX Amplifiers			
PLX1104	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 325 watts/ch at 8Ω, 550 watts/ch at 4Ω	€ 628.23	Ls 541.30
PLX1804	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 600 watts/ch at 8Ω, 900 watts/ch at 4Ω	€ 737.74	Ls 635.66
PLX1802	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 330 watts/ch at 8Ω, 575 watts/ch at 4Ω, 900 watts/ch at 2Ω	€ 885.49	Ls 762.98
PLX2502	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1250 watts/ch at 2Ω	€ 944.65	Ls 813.95
PLX3102	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 600 watts/ch at 8Ω, 1000 watts/ch at 4Ω, 1550 watts/ch at 2Ω	€ 1 048.19	Ls 903.16
PLX3602	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at 8Ω, 1250 watts/ch at 4Ω, 1800 watts/ch at 2Ω	€ 1 255.11	Ls 1 081.45
PowerLight 3 Amplifiers			
PL325	2 channels, 475 watts/ch at 8Ω, 825 watts/ch at 4Ω, 1250 watts/ch at 2Ω	€ 1 178.76	Ls 1 015.67
PL340	2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, 2000 watts/ch at 2Ω	€ 1 550.02	Ls 1 335.56
PL380	2 channels, 1500 watts/ch at 8Ω, 2600 watts/ch at 4Ω, 4000 watts/ch at 2Ω	€ 2 451.65	Ls 2 112.44



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
RMX Amplifiers			
RMX850	2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω	€ 404.13	Ls 348.21
RMX1450	2 channels, 280 watts/ch at 8Ω, 450 watts/ch at 4Ω, 700 watts/ch at 2Ω	€ 477.63	Ls 411.55
RMX1850HD	2 channels, 360 watts/ch at 8Ω, 600 watts/ch at 4Ω, 900 watts/ch at 2Ω	€ 600.14	Ls 517.10
RMX2450	2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1200 watts/ch at 2Ω	€ 661.69	Ls 570.14
RMX4050HD	2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged)	€ 1 170.85	Ls 1 008.85
RMX5050	2 channels, 1100 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged)	€ 1 357.89	Ls 1 170.02
CMX Amplifiers			
CMX300V	Contractor power amplifier / 2 channel, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 70V/mono at 600 Watts	€ 413.99	Ls 356.71
CMX500V	Contractor power amplifier / 2 channel, 300 watts/ch at 8Ω, 500 watts/ch at 4Ω, 70V mono/ at 1200 Watts	€ 523.20	Ls 450.81
CMX800V	Contractor power amplifier / 2 channel, 500 watts/ch at 8Ω, 800 watts/ch at 4Ω, 70V/mono at 2000 Watts, 100V/mono at 2300 Watts	€ 726.38	Ls 625.88
CMX2000V	Contractor power amplifier / 2 channel, 1100 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 70V/ch at 2500 Watts, 100V/ch at 1000 Watts	€ 1 563.47	Ls 1 347.15
Accessories for Power Amplifiers			
BSC-3	BusCard – accommodates one signal processor (crossover, limiter or EQ) for PLX, CX and DCA amplifiers, XF-1 input transformers may also be added(not compatible with PLX2)	€ 42.28	Ls 36.43
BSC-6	BusCard – accommodates UF-3 filter for PL3.4, PL3.8x and PL4.0 amplifiers	€ 42.28	Ls 36.43
BSC-7	BusCard – accommodates two signal processor cards for 4-channel CX and DCA amplifiers, XF-1 input transformers may also be added	€ 87.40	Ls 75.31
IT-42	Isolation Transformer – 25V, 70V , and 100V dual output transformer for CX302	€ 225.74	Ls 194.51
LF-3	Low-pass Filter – used with XC-3 for 3-way systems	€ 176.29	Ls 151.90
OT-300a	Output Autoformer – 300W 70V autoformer	€ 97.11	Ls 83.67
OT-600	Output Autoformer – 600W 70V autoformer	€ 138.64	Ls 119.46
SEQ-2	Stereo EQ – 5-band EQ with +/- 12 dB boost and cut range	€ 64.39	Ls 55.48
SF-3	Subwoofer Filter – provides adjustable bandpass filtering with optional B6 boost and mono-summing	€ 176.29	Ls 151.90
UF-3	Universal Filter – Two independent channels of fourth order filtering configurable for high-pass, low-pass, or band-pass operation, plus CD-horn EQ	€ 105.92	Ls 91.27
XC-3	Crossover – Active 2-way crossover for bi-amped speakers. Can be used with LF-3 for tri-amp operation	€ 176.29	Ls 151.90
XF-1	Input Isolation Transformer – High-bandwidth input transformer for reducing common mode noise	€ 62.45	Ls 53.81
3" Rack Ear	3" Rear support rack ear kit	€ 18.08	Ls 15.58
7" Rack Ear	7" Rear support rack ear kit	€ 21.07	Ls 18.15
DVD	This DVD-based self-paced course teaches the fundamentals of audio, acoustics and sound reinforcement. NTSC video. English with secondary spanish language track. Total run time 2:27.	€ 64.69	Ls 55.74
QSControl.net			
BASIS722az	Amplifier control and monitoring, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via DataPort connectors	€ 3 025.94	Ls 2 607.27
RAVE520uz	CobraNet I/O, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors	€ 3 379.27	Ls 2 911.72
RAVE522aa	CobraNet I/O, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via euro style connectors	€ 3 379.27	Ls 2 911.72
BASIS904zz	Amplifier control and monitoring, configurable DSP, 16 analog outputs via DataPort, CobraNet I/O	€ 4 206.50	Ls 3 624.49
BASIS914lz	Amplifier control and monitoring, configurable DSP, 4 analog line-level inputs via XLR connectors, 16 analog outputs via DataPort, CobraNet I/O	€ 4 158.69	Ls 3 583.29



PRICE LIST, August 2011

www.qscaudio.com

		EU RRP w/o VAT	LV RRP w VAT
BASIS922az	Amplifier control and monitoring, configurable DSP, 8 analog inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	€ 3 379.27	Ls 2 911.72
BASIS922dz	Amplifier control and monitoring, configurable DSP, AES/EBU input pairs (8 channels) via 25-pin DB-25 connectors, 8 analog outputs via DataPort connectors CobraNet I/O	€ 3 379.27	Ls 2 911.72
BASIS922uz	Amplifier control and monitoring, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via DataPort connectors, CobraNet I/O	€ 3 794.30	Ls 3 269.32
DSP322ua	Configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via euro style connectors	€ 3 025.94	Ls 2 607.27
RAVE522ua	CobraNet I/O, configurable DSP, 8 analog universal (mic/line) inputs via euro style connectors, 8 analog outputs via euro style connectors	€ 3 794.30	Ls 3 269.32
NAC-100	Network audio controller for QSCControl.net systems; color graphic display, POE	€ 657.66	Ls 566.66
NAC-100-WH	(Power Over Ethernet); available in black (NAC-100) or white (NAC-100-WH)		
WCP-1	Wall Control Plate with Rotary Potentiometer	€ 81.42	Ls 70.16
WCP-2	Wall Control Plate with Rotary BCD Switch	€ 98.01	Ls 84.45
DSP			
DSP-3	2 channel digital signal processor with euro style input/output connectors, small form factor	€ 446.26	Ls 384.51
DSP-30	2 channel digital signal processor with Combo XLR input/output connectors, 1 RU	€ 645.11	Ls 555.85
DSP-4	2 channel digital signal processor with XLR input/output connectors, small form factor	€ 594.31	Ls 512.08
SC-28	2 x 8 processor for QSC loudspeakers	€ 1 181.15	Ls 1 017.73
Accessories			
DPC/foot	Unterminated Custom DataPort Cable per foot	€ 6.13	Ls 5.28
DPC-1	DataPort cable, HD15 connector, 1 ft. length	€ 6.42	Ls 5.54
DPC-2	DataPort cable, HD15 connector, 2 ft. length	€ 7.62	Ls 6.57
DPC-3	DataPort cable, HD15 connector, 3 ft. length	€ 8.67	Ls 7.47
DPC-4	DataPort cable, HD15 connector, 4 ft. length	€ 9.71	Ls 8.37
DPC-5	DataPort cable, HD15 connector, 5 ft. length	€ 10.76	Ls 9.27
DPC-6	DataPort cable, HD15 connector, 6 ft. length	€ 11.95	Ls 10.30
DPC-10	DataPort cable, HD15 connector, 10 ft. length	€ 22.71	Ls 19.57
DPC-20	DataPort cable, HD15 connector, 20 ft. length	€ 39.89	Ls 34.37
DPC-50	DataPort cable, HD15 connector, 50 ft. length	€ 95.17	Ls 82.00
DPC-75	DataPort cable, HD15 connector, 75 ft. length	€ 141.33	Ls 121.78
DPC-100	DataPort cable, HD15 connector, 100 ft. length	€ 195.27	Ls 168.25
DPX-1	External power supply	€ 56.17	Ls 48.40
DPX-2	Custom DataPort cable passes audio and power between an amplifier and a remote mounted DSP-3 or DSP-4 module	€ 11.65	Ls 10.04
DPX-3	Null modem cable programming a DSP-3 manufactured before July 1999	€ 9.41	Ls 8.11
DPX-4	Accessory bracket kit mounting up to four DSP-3 or DSP-4 modules, shipped with hardware for mounting on rear racks	€ 85.46	Ls 73.63
DDI-8c	2 Channel input router module	€ 79.63	Ls 68.61
DDI-3	Interface module	€ 7.92	Ls 6.82
DDI-4	Dataport adapter	€ 9.71	Ls 8.37
DDI-5	Dataport adapter	€ 9.71	Ls 8.37
DDI-11	Customizable dataport interface	€ 14.04	Ls 12.10
DDI-12	Input transformer module	€ 121.16	Ls 104.40